

ΕΤΕΡΟΑΝΑΦΟΡΕΣ

Colitis due to accidental alcohol enema - Clinicopathological presentation and outcome

Michopoulos S, **Bouzakis H**, Sotiropoulou M, Papaspyrou I, Tsibouris P, Kralios N

DIGESTIVE DISEASES AND SCIENCES

45 (6): 1188-1191 JUN 2000

CITED REFERENCES BY:

Mian SR, McFadden KL, Valenstein PN, et al.

[Self-administered alcohol \(vodka\) enema causing severe colitis: case report and review](#)

GASTROINTEST ENDOSC 61 (7): 922-926 JUN 2005

Hill KL, Huang H, Katon R

[Acute proctosigmoiditis caused by a dexamethasone mouthwash enema](#)

GASTROINTEST ENDOSC 61 (4): 612-614 APR 2005

Randolph M, Longacre TA, Gerson LB

[Acute colitis secondary to self-administered alcohol enemas: A mimic of ischemic colitis](#)

J CLIN GASTROENTEROL 39 (1): 78-79 JAN 2005

Complete regression of Barrett's esophagus with heat probe thermocoagulation: mid-term results

Michopoulos S, Tsibouris P, **Bouzakis H**, et al.

GASTROINTESTINAL ENDOSCOPY

50 (2): 165-172 AUG 1999

CITED REFERENCES BY:

Johnston MH

[Technology Insight: ablative techniques for Barrett's esophagus - current and emerging trends](#)

NAT CLIN PRACT ONCOL 2 (8): A323-A330 AUG 2005

Johnston MH

[Technology insight: ablative techniques for Barrett's esophagus - current and emerging trends](#)

NAT CLIN PRACT GASTR 2 (7): 323-330 JUL 2005

Weston AP, Sharma P, Banerjee S, et al.

[Visible endoscopic and histologic changes in the cardia, before and after complete Barrett's esophagus ablation](#)

GASTROINTEST ENDOSC 61 (4): 515-521 APR 2005

Veenendaal RA, Griffioen G, Lamers CBHW

[Endoscopic treatment of Barrett's oesophagus](#)

SCAND J GASTROENTERO 39: 32-37 Suppl. 241 2004

Eisen GM

[Ablation therapy for Barrett's esophagus](#)

GASTROINTEST ENDOSC 58 (5): 760-769 NOV 2003

Sampliner RE

[Prevention of adenocarcinoma by reversing Barrett's esophagus with mucosal ablation](#)

WORLD J SURG 27 (9): 1026-1029 SEP 2003

Michopoulos S

[Barrett's esophagus and heater probe](#)

GASTROENTEROLOGY 124 (7): 2008-2009 JUN 2003

Falk GW

[Barrett's esophagus and heater probe - Reply](#)

GASTROENTEROLOGY 124 (7): 2009-2009 JUN 2003

Jung M, Ell C

[Barrett's esophagus: Ablative treatment methods](#)

INTERNIST 44 (1): 52-57 JAN 2003

Weinstein WM

[The prevention and treatment of dysplasia in gastroesophageal reflux disease: The results and the challenges ahead](#)

J GASTROEN HEPATOL 17: S113-S124 Suppl. S FEB 2002

Walker SJ, Selvasekar CR, Birbeck N

[Mucosal ablation in Barrett's esophagus](#)

DIS ESOPHAGUS 15 (1): 22-29 2002

Urosevic P, Kiroff GK

[Ablation of Barrett's epithelium: the promise and the problems](#)

DIS ESOPHAGUS 15 (1): 30-38 2002

Weinstein WM

[The prevention and treatment of dysplasia in gastroesophageal reflux disease: The results and the challenges ahead](#)

J GASTROEN HEPATOL 17: S113-S124 Suppl. 1 FEB 2002

Falk GW

[Barrett's esophagus](#)

GASTROENTEROLOGY 122 (6): 1569-1591 MAY 2002

Fennerty MB, Corless CL, Sheppard B, et al.

[Pathological documentation of complete elimination of Barrett's metaplasia following endoscopic multipolar electrocoagulation therapy](#)

GUT 49 (1): 142-144 JUL 2001

Overholt BF

[Acid suppression and reepithelialization after ablation of Barrett's esophagus](#)

DIGEST DIS 18 (4): 232-239 2000

Sampliner RE, Faigel D, Fennerty MB, et al.

[Effective and safe endoscopic reversal of nondysplastic Barrett's esophagus with thermal electrocoagulation combined with high-dose acid inhibition: a multicenter study](#)

GASTROINTEST ENDOSC 53 (6): 554-558 MAY 2001

Wang KK, Sampliner RE

[Mucosal ablation therapy of Barrett esophagus](#)

MAYO CLIN PROC 76 (4): 433-437 APR 2001

Barbezat GO

[New treatment for Barrett's oesophagus](#)

BIOMED PHARMACOTHER 54 (7): 362-367 AUG 2000

Pereira-Lima JC, Busnello JV, Saul C, et al.

[High power setting argon plasma coagulation for the eradication of Barrett's esophagus](#)

AM J GASTROENTEROL 95 (7): 1661-1668 JUL 2000

Sharma P, Sampliner RE

[Barrett esophagus](#)

CURR OPIN GASTROEN 16 (4): 374-379 JUL 2000

- Schembre DB, Kozarek RA

[Endoscopic therapeutic esophageal interventions](#)

CURR OPIN GASTROEN 16 (4): 380-385 JUL 2000

- Lambert R

[Treatment of esophagogastric tumors](#)

ENDOSCOPY 32 (4): 322-330 APR 2000

- Haag S, Nandurkar S, Talley NJ

[Regression of Barrett's esophagus: the role of acid suppression, surgery, and ablative methods](#)

GASTROINTEST ENDOSC 50 (2): 229-240 AUG 1999

Clinical spectrum of gastroesophageal reflux disease after HP eradication in patients with duodenal ulcer.

Michopoulos S, Tsiouris P, Balta A, **Bouzakis H**, Galanopoulos G, Kralios N

GASTROENTEROLOGY

114 (4): G0930 Part 2 Suppl. S APR 15 1998

CITED REFERENCES BY:

Olafsson S, Berstad A

[Changes in food tolerance and lifestyle after eradication of Helicobacter pylori](#)

SCAND J GASTROENTERO 38 (3): 268-276 MAR 2003

- Olafsson S, Hatlebakk JG, Berstad A

[Patients with endoscopic gastritis and/or duodenitis improve markedly following eradication of Helicobacter pylori, although less so than patients with ulcers](#)

SCAND J GASTROENTERO 37 (12): 1386-1394 DEC 2002

- Berstad A, Olafsson S, Tefera S, et al.

[Controversies in dyspepsia](#)

EUR J SURG 167: 4-11 Suppl. 586 AUG 2001

- Yamaji Y, Mitsushima T, Ikuma H, et al.

[Inverse background of Helicobacter pylori antibody and pepsinogen in reflux oesophagitis compared with gastric cancer: analysis of 5732 Japanese subjects](#)

GUT 49 (3): 335-340 SEP 2001

- Michopoulos S, Tsibouris P, Bouzakis H, et al.

[Randomized study comparing omeprazole with ranitidine as anti-secretory agents combined in quadruple second-line Helicobacter pylori eradication regimens](#)
ALIMENT PHARM THERAP 14 (6): 737-744 JUN 2000

- Claviere C, Bigard MA

[Should Helicobacter pylori infection be considered in patients with gastro-esophageal reflux disease](#)
GASTROEN CLIN BIOL 23 (10): C65-C78 OCT 1999

- Dent J

[Helicobacter pylori and reflux disease](#)
EUR J GASTROEN HEPAT 11: S51-S57 Suppl. 2 AUG 1999

- De Korwin JD

[Treatment of gastro-esophageal reflux: should Helicobacter pylori infection be considered?](#)

GASTROEN CLIN BIOL 23 (1BIS): S121-S129 JAN 1999

Randomized study comparing three different triple regimens containing clarithromycin for H-pylori (HP) eradication in patients with duodenal ulcer (DU)

Michopoulos S, **Bouzakis H**, Balta A, Sotiropoulou M, Tsibouris P, Papaspyrou I, Vougiadiotis I, Markaki S, Kralios N

GUT

41: A209-A209 Suppl. 3 OCT 1997

CITED REFERENCES:

Moayyedi P, Murphy B

[Helicobacter pylori: a clinical update](#)

J APPL MICROBIOL 90: 126S-133S Suppl. S 2001

- Janssen MJR, Van Oijen AHAM, Verbeek ALM, et al.

[A systematic comparison of triple therapies for treatment of Helicobacter pylori infection with proton pump inhibitor/ranitidine bismuth citrate plus clarithromycin and either amoxicillin or a nitroimidazole](#)
ALIMENT PHARM THERAP 15 (5): 613-624 MAY 2001

- Langtry HD, Wilde MI

[Omeprazole - A review of its use in Helicobacter pylori infection, gastro-oesophageal reflux disease and peptic ulcers induced by nonsteroidal anti-inflammatory drugs](#)

DRUGS 56 (3): 447-486 SEP 1998

Does CLO-test accuracy depend on the site of biopsy sampling?

Michopoulos S, Sotiropoulou M, **Bouzakis H**, Vougiadiotis I, Papaspyrou I, Balta A, Markaki S, Kralios N

GASTROENTEROLOGY

112 (4): A219-A219 Suppl. S APR 1997

CITED REFERENCES:

Hoyo M, Miwa H, Nagahara A, et al.

[Pooled analysis on the efficacy of the second-line treatment regimens for Helicobacter pylori infection](#)

SCAND J GASTROENTERO 36 (7): 690-700 JUL 2001

Randomized study comparing omeprazole (O) and ranitidine (R) as antisecretory agent in "quad" therapy provided as a second choice treatment in patients with duodenal ulcer.

Michopoulos S, **Bouzakis H**, Vougiadiotis I, Sotiropoulou M, Tsibouris P, Balta A, Pasaspyrou I, Kralios N

GASTROENTEROLOGY

112 (4): A219-A219 Suppl. S APR 1997

Six-month follow-up after Barrett's oesophagus ablation (BOA) with heater probe.

Michopoulos S, **Bouzakis H**, Vougiadiotis I, Sotiropoulou M, Tsibouris P, Kralios N

GASTROENTEROLOGY

112 (4): A615-A615 Suppl. S APR 1997

Evaluation of CLO-test in duodenal ulcer patients after eradication treatment for Helicobacter pylori (HP).

Michopoulos S, Solitopoulou M, Vougiadiotis I, **Bouzakis H**, Bolos M, Papaspyrou I, Maikakai S, Kralios N

GASTROENTEROLOGY

110 (4): A195-A195 Suppl. S APR 1996

Does a second regimen of omeprazole (OM) plus amoxicillin (A) increase the success rate on H-pylori (HP) eradication in patients with duodenal ulcer?

Michopoulos S, **Bouzakis H**, Solitopoulou M, Vougiadiotis I, Paudalos F, Papnapyrou I, Nikolaidis K, Kralios N

GASTROENTEROLOGY

110 (4): A195-A195 Suppl. S APR 1996

N. Ελληνική Γαστρεντερολογία 1996;9(supl):192. Στο 16^ο Πανελλήνιο Συνέδριο Γαστρεντερολογίας, Αθήνα 1996.)